Form PTO-1449 (modified)

of Patents and Publications for Applicant's

INFORMATION DISCLOSURE STATEMENT

(Use several sheets if necessary)

U.S. Patent Documents

See Page 1

		•	
Atty. Docket No. UTSD:546USD1/GNS	Serial No. 09/748,451		
Applicant Xiaodong Wang and Xue	song Liu		ECH CENT
Filing Date: December 22, 2000	Group: 1652		TER 1

December 22, 2000	1032	
Foreign Patent Documents	Other Art	8
See Page 1	See Page 1	200
		8

U.S. Patent Documents

Exam. Init.	Ref. Des.	Document Number	Date	Name	Class	Sub Class	Filing Date of App.
wy	A1	5,912,141	6/15/99	Brojatsch et al.	435	69.1	

Foreign Patent Documents

Exam. Init.	Ref. Des.	Document Number	Date	Country	Class	Sub Class	Translation Yes/No
	B1						

Other Art (Including Author, Title, Date Pertinent Pages, Etc.)

Exam. Init.	Ref. Des.	Citation
aleth	C1	Alnemri et al., "Human ICE/CED-3 protease nomenclature," Cell, 87:171, 1996.
1	C2	Casicola-Rosen et al., "Apopain/CPP32 cleaves proteins that are essential for cellular repair: a fundamental principle of apoptotic death," J. Exp. Med., 183:1957-1964, 1996.
	C3	Chinnaiyan et al., "Molecular ordering of the cell death pathway," J. Biol. Chem., 271(9):4573-4576, 1996.
	C4	Darmon et al., "Cleavage of CPP32 by granzyme B represents a critical role for granzyme B in the induction of target cell DNA fragmentation, "J. Biol. Chem., 271:21709-21712, 1996.
	C5	Datta et al., "Activation of the CPP32 protease in apoptosis induced by 1-β-D-arabinofuranosylcytosine and other DNA-damaging agents," Blood, 88(6):1936-1943, 1996.
	C6	Datta et al., "Activation of a CrmA-insensitive, p35-sensitive pathway in ionizing radiation-induced apoptosis," J. Biol. Chem., 272(3):1965-1969, 1997.
	C7	Dubrez et al., "Pivotal role of a DEVD-sensitive step in etoposide-induced and Fas-mediated apoptotic pathways," J. EMBO., 15(20):5504-5512, 1996.
*	C8	Enari et al., "Sequential activation of ICE-like and CPP32-like proteases during Fas-mediated apoptosis," <i>Nature</i> , 380:723-726, 1996.
Www	C9	Enari et al., "A caspase-activated Dnase that degrades DNA during apoptosis, and its inhibitor ICAD," Nature, 391(1):43-50, 1998.

25036660.1

	EXAMINER: Williams. 10	Words	DATE CONSIDERED: 29/Max	2003
--	------------------------	-------	-------------------------	------

EXAMINER: INITIAL IF REFERENCE CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED. INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.

O I P E Sprm PT

orm PTO-1449 (modified)

of Patents and Publications for Applicant's

INFORMATION DISCLOSURE STATEMENT

(Use several sheets if necessary)

Atty. Docket No. UTSD:546USD1/GNS Serial No. 09/748,451

Applicant

Xiaodong Wang and Xuesong Liu

Filing Date: December 22, 2000 Group: 1652

U.S. Patent Documents

See Page 1

Foreign Patent Documents
See Page 1

Other Art See Page 1

Other Art (Including Author, Title, Date Pertinent Pages, Etc.)

Exam. Init.	Ref. Des.	Citation
WWM	C10	Erhardt and Cooper, "Activation of the CPP32 apoptotic protease by distinct signaling pathways with differential sensitivity to Bcl-x _L ," <i>J. Biol. Chem.</i> , 271(30):17601-17604, 1996.
1	C11	Faleiro et al.,"Multiple species of CP 32 and Mch2 are the major active caspases present in apoptotic cells," J. EMBO, 16:2271, 1997.
	C12	Fernandes-Alnemri <i>et al.</i> , "CPP32, a novel human apoptotic protein with homology to <i>caenorhabditis elegans</i> cell death protein Ced-3 and mammalian interleukin-1β-converting enzyme," <i>J. Biol. Chem.</i> , 269(49):30761-30764, 1994.
	C13	Goldberg et al., "Cleavage of huntingtin by apopain, a proapoptotic cysteine protease, is modulated by the polyglutamine tract," Nat. Genet., 13(4):442-449, 1996.
	C14	Hartl et al., "Molecular chaperones in protein folding: the art of avoiding sticky situations," TIBS, 19:20, 1994.
	C15	Hasegawa et al., "Involvement of CPP32/Yama(-like) proteases in Fas-mediated apoptosis," Cancer Res., 56:1713-1718, 1996.
	C16	Jackson <i>et al.</i> , "Chromatin fractionation procedure that yields nucleosomes containing near-stoichiometric amounts of high mobility group nonhistone chromosomal proteins," <i>Biochemistry</i> , 18:3739-3748, 1979.
	C17	Jacobson <i>et al.</i> , "Role of Ced-3/ICE-family proteases in staurosporine-induced programmed cell death," <i>J. Cell Biol.</i> , 133(5):1041-1051, 1996.
	C18	Kaufman <i>et al.</i> , "Specific proteolytic cleavage of poly(ADP-ribose) polymerase: an early mark chemotherapy-induced apoptosis," <i>Cancer Res.</i> , 53:3976-3985, 1993.
	C19	Kerr et al., "Apoptosis: a basic biologial phenomenon with wide-ranging implications in Tissue Kinetics," Br. J. Cancer, 26:239, 1972.
	C20	Khokhlatchev <i>et al.</i> , "Reconstitution of mitogen-activated protein kinase phosphorylation cascades in bacteria," <i>J. Biol. Chem.</i> , 272(17):11057-11062, 1997.
—	C21	Kuida et al., "Decreased apoptosis in the brain and premature lethality in CPP32-deficient mice," Nature, 384:368-372, 1996.
wm	C22	Lazebnik et al., "Studies of the lamin proteinase reveal multiple parallel biochemical pathways during apoptotic execution," Proc. Natl. Acad. Sci. USA, 92:9042-9046, 1995.


25036660.1

Examiner:	Millual.	Mur

DATE CONSIDERED:

29 May 2003

EXAMINER: INITIAL IF REFERENCE CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP609; DRAW UNE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED. INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.



Other Art (Including Author, Title, Date Pertinent Pages, Etc.)

Exam. Init.	Ref. Des.	Citation
When	C23	Liu et al., "Induction of Apoptotic Program in Cell-Free Extracts: Requirement for dATP and Cytochrome c," Cell, 86:147-157, 1996.
War A	C24	Liu et al., "DFF, a heterodimeric protein that functions downstream of Caspase-3 to trigger DNA fragmentation during apoptosis," Cell, 89:175-184, 1997.
	C25	Liu et al., "Purification and Characterization of an Interleukin-1β-converting Enzyme Family Protease that Activates Cysteine Protease P32 (CPP32)*," J. Biol. Chem., 271:13371-13376, 1996.
	C26	Luo and Sawadogo, "Functional domains of the transcription factor USF2: Atypical nuclear localization signals and context-dependent transcriptional activation domains," <i>Mol. Cell Biol.</i> , 16(4):1367-1375, 1996.
	C27	Martin <i>et al.</i> , The cytotoxic cell protease granzyme B initiates apoptosis in a cell-free system by proteolytic processing and activation of the ICE/CED-3 family protease, CPP32, <i>via</i> a novel two-step mechanism," <i>J. EMBO</i> , 15(10):2407-2416, 1996.
	C28	Martins <i>et al.</i> , "Activation of multiple interleukin-1β converting enzyme homologues in cytosol and nuclei of HL-60 cells during etoposide-induced apoptosis," <i>J. Biol. Chem.</i> , 272:7421-7430, 1997.
	C29	Na et al., "D4-GDI, a substrate of CPP32, is proteolyzed during Fas-induced apoptosis," J. Biol. Chem., 271(19):11209-11213, 1996.
	C30	Nicholson and Thomberry, "Caspases: killer proteases," TIBS, 257:299-306, 1997.
	C31	Nicholson <i>et al.</i> , "Identification and inhibition of the ICE/CED-3 protease necessary for mammalian apoptosis," <i>Nature</i> , 376:37-43, 1995.
	C32	Paine et al., "Protein loss during nuclear isolation," J. Cell Biol., 97:1240-1242, 1983.
	C33	Peters et al., "Evidence for the location of high mobility group protein T in the internucleosomal linker regions of trout testis chromatin," J. Biol. Chem., 254:3358-3361, 1979.
$\overline{\mathbf{V}}$	C34	Rädler et al., "Structure of DNA-cationic liposome complexs DNA intercalation in multilamellar membranes in distinct interhelical packing regimes," <i>Science</i> , 275:810-814, 1997.
You	C35	Roche et al., "The involvement of histone H1° in chromatin structure," Nucleic Acids Res., 13:2843-2853, 1985.

25036660.1

EXAMINER: William W. Mou	DATE CONSIDERED: 29/llay 2003
EXAMINER: INITIAL IF REFERENCE CONSIDERED, WHETHER OR NOT CIT	ATION IS IN CONFORMANCE WITH MPEP609; DRAW LINE THROUGH
CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED. INCLUDE COR	PY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.

614	E vo	, ,		Page 4 of 6
JUN 1	FORT PTO-1449 (modified)	,	Atty. Docket No. UTSD:546USD1/GNS	Serial N . 09/748,451
G IR	List of Patents and Publications for	Applicant's	Applicant Xiaodong Wang and Xu	esong Liu
	INFORMATION DISCLOSURE ST	TATEMENT		
	(Use several sheets if necessar	ry)	Filing Date: December 22, 2000	Group: 1652
•	U.S. Patent Documents	Foreign	Patent Documents	Other Art
	See Page 1		See Page 1	See Page 1


Other Art (Including Author, Title, Date Pertinent Pages, Etc.)

Exam. Init.	Ref. Des.	Citation
aum	C36	Sakahira et al., "Cleavage of CAD inhibitor in CAD activation and DNA degradation during apoptosis," Nature, 391(1):96-99, 1998.
1	C37	Schlegel et al., "CPP32/Apopain is a key interleukin 1β converting enzyme-like protease involved in Fas-mediated apoptosis," J. Biol. Chem., 271:1841-1844, 1996.
	C38	Schroter and Bode, "The binding sites for large and small high-mobility-group (HMG) proteins," Eur. J. Biochem., 127:429-436, 1982.
	C39	Shiraishi et al., "Adenovirus-mediated gene transfer using in-situ perfusion of the liver graft," Transplant International, 1-0(3):202-206, 1997.
	C40	Smith and Moss, "Infectious poxvirus vectors have capacity for at least 25000 base pairs of foreign DNA," <i>Gene</i> , 25:21-28, 1983.
	C41	Song <i>et al.</i> , "DNA-dependent protein kinase catalytic subunit: a target for an ICE-like protease in apoptosis," <i>J. EMBO</i> , 15(13):3238-3246, 1996.
	C42	Song et al., "DCP-1, a drosophila cell death protease essential for development," Science, 275:536-540, 1997.
	C43	Sun et al., "Separate metabolic pathways leading to DNA fragmentation and apoptotic chromatin condensation," J. Exp. Med., 179:559-568, 1994.
	C44	Takahashi et al., "Affinity labeling displays the stepwise activation of ICE-related proteases by Fas, staurosporine, and CrmA-sensitive caspase-8," Oncogene, 14:2741-2752, 1997.
	C45	Tam et. al., "SN ² deprotection of synthetic peptides with a low concentration of HF in dimethyl sulfide: evidence and application in peptide synthesis," J. Am. Chem. Soc., 105:6442-6455, 1983.
	C46	Tewari <i>et al.</i> , "Yama/CPP32β, a mammalian homolog of CED-3, is a CrmA-inhibitable protease that cleaves the death substrate poly(ADP-ribose) polymerase," <i>Cell</i> , 81:801-809, 1995.
	C47	Vaux, "CED-4 - The third horseman of apoptosis," Cell, 90:389-390, 1997.
wm	C48	Walther and Stein, "Cell type specific and inducible promoters for vectors in gene therapy as an approach for cell targeting," <i>J. Mol. Med.</i> , 74:379-392, 1996.

25036660.1

EXAMINER: Walley Whow	DATE CONSIDERED: 29May 2003	
EXAMINER: INITIAL IF REFERENCE CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP609; DRAWLINE THROUGH		
CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED. INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.		

See Page 1




See Page 1

Other Art (Including Author, Title, Date Pertinent Pages, Etc.)

See Page 1

Exam. Init.	Ref. Des.	Citation
(skvsk	C49	Wang et al., "Cleavage of sterol regulatory element binding proteins (SREBPs) by CPP 32 during apoptosis," J. EMBO, 15:1012-1020, 1996.
(skvsk	C50	Wang et al., "Mice lacking ADPRT and poly(ADP-ribosyl)ation develop normally but are susceptible to skin disease," Gene & Dev., 9:509-520, 1995.
	C51	Wang et al., "Nuclear protein that binds sterol regulatory element of low density lipoprotein receptor promoter," J. Biol. Chem., 268(19):14497-14504, 1993.
	C52	Wang et al., "Purification of an interleukin-1ß converting enzyme-related cysteine protease that cleaves sterol regulatory element-binding proteins between the leucine zipper and transmembrane domains," J. Biol. Chem., 270(30):18044-18050, 1995.
	C53	Wang et al., "R-ras promotes apoptosis caused by growth factor deprivation via a Bcl-2 suppressible mechanism," J. Cell Biol., 129:1103-1114, 1995.
	C54	White, "Life, death, and the pursuit of apoptosis," Genes & Dev., 10:1-15, 1996.
	C55	Wong et al., "Appearance of β -lactamase activity in animal cells upon liposome-mediated gene transfer," Gene, 10:87-94, 1980.
	C56	Wyllie, "An endonuclease at last," Nature, 391:20-21, 1998.
	C57	Wyllie et al., "Cell Death: The Significance of Apoptosis," Int. Rev. Cytol., 68:251-306, 1980.
	C58	Wyllie et al., "Chromatin cleavage in apoptosis: association with condensed chromatin morphology and dependence on macromolecular synthesis," J. Pathol., 142:67-77, 1984.
	C59	Wyllie, "The genetic regulation of apoptosis," Curr. Opin. in Genet. Dev., 5:97-104,1995.
	C60	Xue et al. "The Caenorhabditis elegans cell-death protein CED-3 is a cysteine protease with substrate specificities similar to thos eo the human CPP32 protease," Genes & Dev., 10:1073-1083, 1996.
	C61	Yokoyama et al., "SREBP-1, a basic-helix-loop-helix-leucine zipper protein that controls transcription of the low density lipoprotein receptor gene," Cell, 75:187-197, 1993.
1	C62	Yuan et al., "The C. Elegans Cell Death Gene ced-3 Encodes a Protein Similar to Mammalian Interleukin-1β-Converting Enzyme," Cell, 75:641-652, 1993.
Mon	C63	Zamzami et al., "Mitochondrial control of nuclear apoptosis," J. Exp. Med., 183:1533-1544, 1996.
25036660.		

25036660.1		
EXAMINER: Willia W. Moore	DATE CONSIDERED: 29 May 2003	
EXAMINER: INITIAL IF REFERENCE CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED. INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.		
CITATION IF NOT IN CONFURMANCE AND NOT CONSIDERED. INCLUDE COPT OF THIS FORM WITH NEXT COMMUNICATION TO ATTECHNIT.		



Atty. Docket N .
UTSD:546USD1/GNS

Serial No. 09/748,451

ist of Patents and Publicati ns for Applicant's

Applicant
Xiaodong Wang and Xuesong Liu

INFORMATION DISCLOSURE STATEMENT

Filing Date:

December 22, 2000

Group: 1652

(Use several sheets if necessary)
U.S. Patent Documents

See Page 1

Foreign Patent Documents

See Page 1

Other Art See Page 1

Other Art (Including Author, Title, Date Pertinent Pages, Etc.)

Exam. Init.	Ref. Des.	Citation
Nam	C64	Zou et al., "Apaf-1, a Human Protein Homologous to C. elegans CED-4, Participates in Cytochrome c-Dependent Activation of Caspase-3," Cell, 90:405, 1997.
1	C65	Halenbeck et al., "CPAN, a human nuclease regulated by the caspase-sensitive inhibitor DFF45," Current Biology, 8:527-540, 1998.
	C66	International Search Report dated January 22, 1999 (PCT/US98/07895) (UTFD:546P).
	C67	Liu et al., "The 40-kDa subunit of DNA fragmentation factor induces DNA fragmentation and chromatin condensation during apoptosis," Proc. Natl. Acad. Sci. USA, 95:8461-8466, 1998.
	C68	Mukae et al., "Molecular cloning and characterization of human caspase-activated DNase," Proc. Natl. Acad. Sci. USA, 95:9123-9128, 1998.
	C69	Wu et al., "Inhibition of Nf-kB/Rel induces apoptosis of murine B Cells," EMBO J., 15:4682-4690, 1996.
	C70	Lee et al., "Involvement of histone hyperaceltylation in triggering DNA fragmentation of rat thymocytes undergoing apoptosis," FEBS Lett. 395:183-187, 1996.
—	C71	Cai et al., "IkBalpha overexpression in human breast carcinoma NCF7 cells inhibits nuclear factor-kB activation but not tumor necrosis factor-alpha-induced apoptosis," J. Biol. Chem., 272:96-101, 1997.
(IM	C72	Waring et al., "Apoptosis induced by gliotoxinis preceded by phosphorylation of histone H3 and enhanced sensitivity of chromatin to nuclease digestion,"

25036660.1

EXAMINER: William Woon

DATE CONSIDERED:

: 29/May 2003

EXAMINER: INITIAL IF REFERENCE CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED. INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.